

# MORFCO



**TIRE CHAINS**

## Passenger Chain Fit Chart

Tire Size	Cobra Cables	Magic Grip Link and Cable
	Pg. 8	Pg. 8
<b>215/50/13</b>	1018	1118
<b>235/50/13</b>	1034	1134
<b>245/50/13</b>	1034	1134
<b>165/60/13</b>	1014	1114
<b>175/60/13</b>	1014	1114
<b>185/60/13</b>	1018	1118
<b>195/60/13</b>	1026	1126
<b>205/60/13</b>	1026	1126
<b>215/60/13</b>	1026	1126
<b>235/60/13</b>	1034	1134
<b>165/65/13</b>	1018	1118
<b>185/65/13</b>	1018	1118
<b>195/65/13</b>	1026	1126
<b>215/65/13</b>	1030	1130
<b>145/70/13</b>	1014	1114
<b>155/70/13</b>	1014	1114
<b>165/70/13</b>	1014	1114
<b>175/70/13</b>	1018	1118
<b>185/70/13</b>	1026	1126
<b>195/70/13</b>	1026	1126
<b>205/70/13</b>	1030	1130
<b>165/75/13</b>	1014	1114
<b>175/75/13</b>	1018	1118
<b>185/75/13</b>	1026	1126
<b>195/75/13</b>	1026	1126
<b>145/80/13</b>	1014	1114
<b>155/80/13</b>	1014	1114
<b>165/80/13</b>	1018	1118
<b>175/80/13</b>	1022	1122
<b>185/80/13</b>	1026	1126

Tire Size	Cobra Cables	Magic Grip Link and Cable
	Pg. 8	Pg. 8
<b>185/85/13</b>	1030	1130
<b>245/50/14</b>	1034	1134
<b>265/50/14</b>	1042	1142
<b>185/55/14</b>	1018	1118
<b>195/55/14</b>	1022	1122
<b>205/55/14</b>	1026	1126
<b>225/55/14</b>	1034	1134
<b>255/55/14</b>	1038	1138
<b>165/60/14</b>	1014	1114
<b>175/60/14</b>	1018	1118
<b>185/60/14</b>	1018	1118
<b>195/60/14</b>	1026	1126
<b>205/60/14</b>	1026	1126
<b>215/60/14</b>	1030	1130
<b>225/60/14</b>	1030	1130
<b>235/60/14</b>	1034	1134
<b>245/60/14</b>	1038	1138
<b>255/60/14</b>	1038	1138
<b>265/60/14</b>	1042	1142
<b>275/60/14</b>	1042	1142
<b>155/65/14</b>	1014	1114
<b>165/65/14</b>	1018	1118
<b>175/65/14</b>	1018	1118
<b>185/65/14</b>	1026	1126
<b>185/65/365</b>	1026	1126
<b>195/65/14</b>	1026	1126
<b>205/65/14</b>	1030	1130
<b>215/65/14</b>	1034	1134
<b>225/65/14</b>	1034	1134
<b>145/70/14</b>	1014	1114

## MORFCO SUPPLY

Tire Size	Cobra Cables Pg. 8	Magic Grip Link and Cable Pg. 8
<b>155/70/14</b>	1018	1118
<b>165/70/14</b>	1018	1118
<b>165/70/365</b>	1018	1118
<b>175/70/14</b>	1026	1126
<b>185/70/14</b>	1026	1126
<b>195/70/14</b>	1030	1130
<b>205/70/14</b>	1034	1134
<b>215/70/14</b>	1034	1134
<b>225/70/14</b>	1038	1138
<b>235/70/14</b>	1038	1138
<b>245/70/14</b>	1042	1142
<b>165/75/14</b>	1018	1118
<b>175/75/14</b>	1022	1122
<b>185/75/14</b>	1026	1126
<b>195/75/14</b>	1030	1130
<b>205/75/14</b>	1034	1134
<b>215/75/14</b>	1034	1134
<b>225/75/14</b>	1038	1138
<b>165/80/14</b>	1018	1118
<b>175/80/14</b>	1022	1122
<b>185/80/14</b>	1030	1130
<b>285/40/15</b>	1038	1138
<b>195/45/15</b>	1026	1126
<b>220/45/15</b>	1026	1126
<b>195/50/15</b>	1026	1126
<b>205/50/15</b>	1026	1126
<b>215/50/15</b>	1026	1126
<b>225/50/15</b>	1030	1130
<b>245/50/15</b>	1038	1138
<b>265/50/15</b>	1042	1142
<b>275/50/15</b>	1042	1142
<b>295/50/15</b>	1046	1146
<b>175/55/15</b>	1018	1118
<b>185/55/15</b>	1022	1122
<b>195/55/15</b>	1022	1122
<b>205/55/15</b>	1034	1134

Tire Size	Cobra Cables Pg. 8	Magic Grip Link and Cable Pg. 8
<b>215/55/15</b>	1034	1134
<b>220/55/390</b>	1034	1134
<b>225/55/15</b>	1034	1134
<b>185/60/15</b>	1026	1126
<b>195/60/15</b>	1030	1130
<b>205/60/15</b>	1030	1130
<b>215/60/15</b>	1034	1134
<b>225/60/15</b>	1034	1134
<b>235/60/15</b>	1038	1138
<b>245/60/15</b>	1042	1142
<b>255/60/15</b>	1042	1142
<b>265/60/15</b>	1042	1142
<b>275/60/15</b>	1042	1142
<b>165/65/15</b>	1042	1142
<b>175/65/15</b>	1046	1146
<b>185/65/15</b>	1026	1126
<b>185/65/390</b>	1026	1126
<b>190/65/15</b>	1030	1130
<b>190/65/390</b>	1030	1130
<b>195/65/15</b>	1030	1130
<b>205/65/15</b>	1034	1134
<b>215/65/15</b>	1038	1138
<b>225/65/15</b>	1038	1138
<b>235/65/15</b>	1042	1142
<b>220/65/390</b>	1038	1138
<b>245/65/15</b>	1046	1146
<b>255/65/15</b>	1042	1142
<b>145/70/15</b>	1018	1118
<b>155/70/15</b>	1018	1118
<b>165/70/360</b>	1018	1118
<b>165/70/365</b>	1018	1118
<b>165/70/15</b>	1022	1122
<b>175/70/15</b>	1022	1122
<b>185/70/365</b>	1030	1130
<b>185/70/15</b>	1030	1130
<b>195/70/15</b>	1034	1134

## MORFCO SUPPLY

Tire Size	Cobra Cables Pg. 8	Magic Grip Link and Cable Pg. 8
<b>205/70/15</b>	1034	1134
<b>215/70/15</b>	1038	1138
<b>225/70/15</b>	1038	1138
<b>235/70/15</b>	1042	1142
<b>245/70/15</b>	1042	1142
<b>255/70/15</b>	1046	1146
<b>175/75/15</b>	1022	1122
<b>185/75/15</b>	1026	1126
<b>195/75/15</b>	1030	1130
<b>205/75/15</b>	1034	1134
<b>215/75/15</b>	1038	1138
<b>225/75/15</b>	1042	1142
<b>215/50/16</b>	1034	1134
<b>225/50/16</b>	1034	1134
<b>245/50/16</b>	1038	1138
<b>255/50/16</b>	1042	1142
<b>265/50/16</b>	1042	1142
<b>195/55/16</b>	1030	1130
<b>205/55/16</b>	1034	1134
<b>215/55/16</b>	1034	1134
<b>225/55/16</b>	1038	1138
<b>235/55/16</b>	1038	1138
<b>245/55/16</b>	1042	1142
<b>255/55/16</b>	1042	1142
<b>195/60/16</b>	1030	1130
<b>205/60/16</b>	1034	1134
<b>215/60/16</b>	1038	1138
<b>225/60/16</b>	1038	1138
<b>235/60/16</b>	1042	1142
<b>245/60/16</b>	1042	1142
<b>195/65/16</b>	1034	1134
<b>205/65/16</b>	1038	1138
<b>215/65/16</b>	1038	1138
<b>225/65/16</b>	1038	1138

Tire Size	Cobra Cables Pg. 8	Magic Grip Link and Cable Pg. 8
<b>225/65/16</b>	1038	1138
<b>235/65/16</b>	1042	1142
<b>255/65/16</b>	1042	1142
<b>205/70/16</b>	1038	1138
<b>215/70/16</b>	1038	1138
<b>225/70/16</b>	1042	1142
<b>215/75/16</b>	1042	1142
<b>225/75/16</b>	1042	1142
<b>205/40/17</b>	1026	1126
<b>215/40/17</b>	1034	1134
<b>235/40/17</b>	1034	1134
<b>245/40/17</b>	1038	1138
<b>255/40/17</b>	1038	1138
<b>275/40/17</b>	1042	1142
<b>285/40/17</b>	1046	1146
<b>205/45/17</b>	1030	1130
<b>215/45/17</b>	1030	1130
<b>225/45/17</b>	1034	1134
<b>235/45/17</b>	1038	1138
<b>245/45/17</b>	1042	1142
<b>255/45/17</b>	1042	1142
<b>205/50/17</b>	1038	1138
<b>215/50/17</b>	1038	1138
<b>225/50/17</b>	1034	1134
<b>235/50/17</b>	1042	1142
<b>245/50/17</b>	1042	1142
<b>255/50/17</b>	1042	1142
<b>215/55/17</b>	1038	1138
<b>225/55/17</b>	1042	1142
<b>235/55/17</b>	1042	1142
<b>275/55/17</b>	1046	1146
<b>215/60/17</b>	1042	1142
<b>225/60/17</b>	1042	1142
<b>235/60/17</b>	1042	1142

## MORFCO SUPPLY

Tire Size	Cobra Cables Pg. 8	Magic Grip Link and Cable Pg. 8
<b>215/65/17</b>	1042	1142
<b>225/65/17</b>	1042	1142
<b>235/65/17</b>	1046	1146
<b>245/65/17</b>	1046	1146
<b>235/70/17</b>	1665	1165
<b>285/30/18</b>	1046	1146
<b>215/35/18</b>	1030	1130
<b>255/35/18</b>	1038	1138
<b>265/35/18</b>	1042	1142
<b>275/35/18</b>	1046	1146
<b>285/35/18</b>	1046	1146
<b>215/40/18</b>	1034	1134
<b>225/40/18</b>	1034	1134
<b>235/40/18</b>	1038	1138
<b>245/40/18</b>	1038	1138
<b>255/40/18</b>	1042	1142
<b>265/40/18</b>	1042	1142
<b>275/40/18</b>	1046	1146
<b>215/45/18</b>	1038	1138
<b>255/45/18</b>	1038	1138
<b>235/45/18</b>	1042	1142
<b>245/45/18</b>	1042	1142
<b>225/45/18</b>	1042	1142
<b>275/45/18</b>	1046	1146
<b>225/50/18</b>	1042	1142
<b>235/50/18</b>	1046	1146
<b>245/50/18</b>	1042	1142

Tire Size	Cobra Cables Pg. 8	Magic Grip Link and Cable Pg. 8
<b>215/55/18</b>	1042	1142
<b>225/55/18</b>	1042	1142
<b>235/55/18</b>	1046	1146
<b>255/55/18</b>	1046	1146
<b>225/60/18</b>	1046	1146
<b>235/60/18</b>	1046	1146
<b>225/65/18</b>	1046	1146
<b>235/65/18</b>	1046	1146
<b>235/710/460</b>	1046	1146
<b>285/680/460</b>	1046	1146
<b>215/35/19</b>	1034	1134
<b>225/35/19</b>	1038	1138
<b>235/35/19</b>	1038	1138
<b>245/35/19</b>	1042	1142
<b>255/35/19</b>	1042	1142
<b>275/35/19</b>	1046	1146
<b>285/35/19</b>	1046	1146
<b>245/40/19</b>	1042	1142
<b>255/40/19</b>	1042	1142
<b>275/40/19</b>	1046	1146
<b>235/55/19</b>	1046	1146
<b>275/55/19</b>	1046	1146
<b>245/35/20</b>	1042	1142
<b>255/35/20</b>	1042	1142
<b>265/35/20</b>	1046	1146
<b>275/35/20</b>	1046	1146
<b>245/40/20</b>	1046	1146

## MTC Cable Chain

Stock #	Weight	Cross Cable Length
<b>1014</b>	4 lbs	10 – 1/4"
<b>1018</b>	6 lbs	10 – 1/4"
<b>1022</b>	6 lbs	10 – 1/4"
<b>1026</b>	5 lbs	11 – 1/2"
<b>1030</b>	6 lbs	11 – 1/2"
<b>1034</b>	6 lbs	12 – 1/2"
<b>1038</b>	7 lbs	12 – 1/2"
<b>1042</b>	8 lbs	13 – 1/2"
<b>1046</b>	8 lbs	14"



## MTC Passenger Link Chain

Stock #	Weight	Cross chain #
<b>1110</b>	8 lbs	5414
<b>1114</b>	9 lbs	5414
<b>1118</b>	9 lbs	5414
<b>1122</b>	10 lbs	5414
<b>1126</b>	10 lbs	5419
<b>1130</b>	11 lbs	5419
<b>1134</b>	11 lbs	5420
<b>1138</b>	12 lbs	5420
<b>1142</b>	13 lbs	5422
<b>1146</b>	14 lbs	5422



## Light Truck Chain Fit Chart

Tire size	V/Bar		Alloy Square Link				7mm Studded	
	Singles Pg. 14	Triples Pg. 15	Singles Pg. 15	Triples Pg. 15	HD Singles Pg. 16	HD Triples Pg. 16	Singles Pg. 16	Triples Pg. 16
<b>285/75/15</b>	V320	V720	SQ320	SQ720	SQ320HD	SQ320HD	TY320	TY720
<b>305/75/15</b>	V295	V795	SQ295	SQ795	SQ295HD	SQ795HD	TY295	TY795
<b>245/85/15</b>	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
<b>7.00-15</b>	V315	V715	SQ315	SQ715	SQC315HD	SQC715HD	TY315	TY715
<b>7.50-15</b>	V315	V715	SQ315	SQ715	SQC315HD	SQC715HD	TY315	TY715
<b>8.25-15</b>	V320	V720	SQ320	SQ720	SQC320HD	SQC320HD	TY320	TY720
<b>31x9.50x15</b>	V315	V715	SQ315	SQ715	SQC315HD	SQC315HD	TY315	TY715
<b>31x10.50x15</b>	V315	V715	SQ315	SQ715	SQC315HD	SQC315HD	TY315	TY715
<b>31x11.50x15</b>	V320	V720	SQ320	SQ715	SQC320HD	SQC720HD	TY320	TY720
<b>31x12.50x15</b>	V295	V795	SQ295	SQ795	SQ295HD	SQ795HD	TY295	TY795
<b>32x9.50x15</b>	V315	V715	SQ315	SQ715	SQ315HD	SQ715HD	TY315	TY715
<b>32x11.50x15</b>	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
<b>32x12.50x15</b>	V295	V795	SQ295	SQ795	SQ295HD	SQ795HD	TY295	TY795
<b>33x9.50x15</b>	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
<b>33x10.50x15</b>	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
<b>33x12.50x15</b>	V295	V795	SQ295	SQ795	SQ295HD	SQ795HD	TY295	TY795
<b>35x10.50x15</b>	V295	V795	SQ295	SQ795	SQ295HD	SQ795HD	TY295	TY795
<b>35x12.50x15</b>	V332	V732	SQ332	SQ732	SQ332HD	SQ732HD	TY332	TY732
<b>36x12.50x15</b>	V332	V732	SQ332	SQ732	SQ332HD	SQ732HD	TY332	TY732
<b>16" and 16.5" Rims</b>								
<b>255/65/16</b>	V315	V715	SQ315	SQ715	SQC315HD	SQC715HD	TY315	TY715
<b>265/65/16</b>	V315	V715	SQ315	SQ715	SQC315HD	SQC715HD	TY315	TY715
<b>215/70/16</b>	V315	V715	SQ315	SQ715	SQC315HD	SQC715HD	TY315	TY715
<b>225/70/16</b>	V315	V715	SQ315	SQ715	SQC315HD	SQC715HD	TY315	TY715
<b>235/70/16</b>	V315	V715	SQ315	SQ715	SQC315HD	SQC715HD	TY315	TY715
<b>245/70/16</b>	V315	V715	SQ315	SQ715	SQC315HD	SQC715HD	TY315	TY715
<b>255/70/16</b>	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
<b>265/70/16</b>	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
<b>275/70/16</b>	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
<b>285/70/16</b>	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720

## MORFCO SUPPLY

Tire size	V-Bar		Alloy Square Link				7mm Studded	
	Singles	Triples	Singles	Triples	HD Singles	HD Triples	Singles	Triples
	Pg. 14	Pg. 15	Pg. 15	Pg. 15	Pg. 16	Pg. 16	Pg. 16	Pg. 16
<b>305/70/16</b>	V295	V795	SQ295	SQ795	SQ295HD	SQ795HD	TY295	TY795
<b>315/70/16</b>	V332	V732	SQ332	SQ732	SQ332HD	SQ732HD	TY332	TY732
<b>225/75/16</b>	V315	V715	SQ315	SQ715	SQC315HD	SQC715HD	TY315	TY715
<b>235/75/16</b>	V315	V715	SQ315	SQ715	SQC315HD	SQC715HD	TY315	TY715
<b>245/75/16</b>	V315	V715	SQ315	SQ715	SQC315HD	SQC715HD	TY315	TY715
<b>255/75/16</b>	V315	V715	SQ315	SQ715	SQC315HD	SQC715HD	TY315	TY715
<b>265/75/16</b>	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
<b>285/75/16</b>	V295	V795	SQ295	SQ795	SQ295HD	SQ795HD	TY295	TY795
<b>295/75/16</b>	V332	V732	SQ332	SQ732	SQ332HD	SQ732HD	TY332	TY732
<b>205/80/16</b>	V315	V715	SQ315	SQ715	SQC315HD	SQC715HD	TY315	TY715
<b>235/80/16</b>	V315	V715	SQ315	SQ715	SQC315HD	SQC715HD	TY315	TY715
<b>325/80/16</b>	V315	V715	SQ315	SQ715	SQC315HD	SQC715HD	TY315	TY715
<b>215/85/16</b>	V315	V715	SQ315	SQ715	SQC315HD	SQC715HD	TY315	TY715
<b>225/85/16</b>	V315	V715	SQ315	SQ715	SQC315HD	SQC715HD	TY315	TY715
<b>235/85/16</b>	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
<b>245/85/16</b>	V322	V722	SQ322	SQ722	SQ322HD	SQ722HD	TY322	TY722
<b>255/85/16</b>	V322	V722	SQ322	SQ722	SQ322HD	SQ722HD	TY322	TY722
<b>265/85/16</b>	V322	V722	SQ322	SQ722	SQ322HD	SQ722HD	TY322	TY722
<b>275/85/16</b>	V295	V795	SQ295	SQ795	SQ295HD	SQ795HD	TY295	TY795
<b>7.50-16</b>	V315	V715	SQ315	SQ715	SQC315HD	SQC715HD	TY315	TY715
<b>29X9.50x16</b>	V332	V732	SQ332	SQ732	SQ332HD	SQ732HD	TY332	TY732
<b>31x16x16</b>	V332	V732	SQ332	SQ732	SQ332HD	SQ732HD	TY332	TY732
<b>8.75-16.5</b>	V315	V715	SQ315	SQ715	SQC315HD	SQC715HD	TY315	TY715
<b>9.50-16.5</b>	V315	V715	SQ315	SQ715	SQC315HD	SQC715HD	TY315	TY715
<b>10-16.5</b>	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
<b>12-16.5</b>	V295	V795	SQ295	SQ795	SQ295HD	SQ795HD	TY295	TY795
<b>30X9.50x16.5</b>	V315	V715	SQ315	SQ715	SQC315HD	SQC715HD	TY315	TY715
<b>31X10.50x16.5</b>	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
<b>31X11.50x16.5</b>	V322	V722	SQ322	SQ722	SQ322HD	SQ722HD	TY322	TY722
<b>32X11.50x16.5</b>	V295	V795	SQ295	SQ795	SQ295HD	SQ795HD	TY295	TY795
<b>32X12.50x16.5</b>	V295	V795	SQ295	SQ795	SQ295HD	SQ795HD	TY295	TY795
<b>33X12.50x16.5</b>	V332	V732	SQ332	SQ732	SQ332HD	SQ732HD	TY332	TY732



MORFCO SUPPLY

Tire size	V-Bar		Square Link				7mm Studded	
	Singles	Triples	Singles	Triples	HD Singles	HD Triples	Singles	Triples
	Pg. 14	Pg. 15	Pg. 15	Pg. 15	Pg. 16	Pg. 16	Pg. 16	Pg. 16
<b>36X12.50x16.5</b>	V332	V732	SQ332	SQ732	SQ332HD	SQ732HD	TY332	TY732
<b>37X12.50x16.5</b>	V342	V742	SQ342	SQ742	SQ342HD	SQ742HD	TY342	TY742
<b>17" and 17.5" Rims</b>								
<b>255/55/17</b>	V315	V715	SQ315	SQ715	SQC315HD	SQC715HD	TY315	TY715
<b>265/55/17</b>	V315	V715	SQ315	SQ715	SQC315HD	SQC715HD	TY315	TY715
<b>275/55/15</b>	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
<b>235/60/17</b>	V315	V715	SQ315	SQ715	SQC315HD	SQC715HD	TY315	TY715
<b>245/60/17</b>	V315	V715	SQ315	SQ715	SQC315HD	SQC715HD	TY315	TY715
<b>255/60/17</b>	V315	V715	SQ315	SQ715	SQC315HD	SQC715HD	TY315	TY715
<b>265/60/17</b>	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
<b>275/60/17</b>	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
<b>285/60/17</b>	V295	V795	SQ295	SQ795	SQ295HD	SQ795HD	TY295	TY795
<b>305/60/17</b>	V332	V732	SQ332	SQ732	SQ332HD	SQ732HD	TY332	TY732
<b>245/65/17</b>	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
<b>255/65/17</b>	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
<b>265/65/17</b>	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
<b>285/60/17</b>	V295	V795	SQ295	SQ795	SQ295HD	SQ795HD	TY295	TY795
<b>305/60/17</b>	V332	V732	SQ332	SQ732	SQ332HD	SQ732HD	TY332	TY732
<b>245/65/17</b>	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
<b>255/65/17</b>	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
<b>265/65/17</b>	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
<b>305/65/17</b>	V295	V795	SQ295	SQ795	SQ295HD	SQ795HD	TY295	TY795
<b>235/70/17</b>	V315	V715	SQ315	SQ715	SQC315HD	SQC715HD	TY315	TY715
<b>245/70/17</b>	V315	V715	SQ315	SQ715	SQC315HD	SQC715HD	TY315	TY715
<b>255/70/17</b>	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
<b>265/70/17</b>	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
<b>275/70/17</b>	V322	V722	SQ322	SQ722	SQ322HD	SQ722HD	TY322	TY722
<b>285/70/17</b>	V295	V795	SQ295	SQ795	SQ295HD	SQ795HD	TY295	TY795
<b>295/70/17</b>	V295	V795	SQ295	SQ795	SQ295HD	SQ795HD	TY295	TY795
<b>305/70/17</b>	V332	V732	SQ332	SQ732	SQ332HD	SQ732HD	TY332	TY732
<b>315/70/17</b>	V332	V732	SQ332	SQ732	SQ332HD	SQ732HD	TY332	TY732
<b>225/75/17</b>	V315	V715	SQ315	SQ715	SQC315HD	SQC715HD	TY315	TY715
<b>235/75/17</b>	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720

MORFCO SUPPLY

Tire size	V-Bar		Square Link				7mm Studded	
	Singles Pg. 14	Triples Pg. 15	Singles Pg. 15	Triples Pg. 15	HD Singles Pg. 16	HD Triples Pg. 16	Singles Pg. 16	Triples Pg. 16
245/75/17	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
255/75/17	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
265/75/17	V322	V722	SQ322	SQ722	SQ322HD	SQ722HD	TY322	TY722
255/75/17	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
265/75/17	V322	V722	SQ322	SQ722	SQ322HD	SQ722HD	TY322	TY722
285/75/17	V295	V795	SQ295	SQ795	SQ295HD	SQ795HD	TY295	TY795
235/80/17	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
275/80/17	V295	V795	SQ295	SQ795	SQ295HD	SQ795HD	TY295	TY795
245/85/17	V322	V722	SQ322	SQ722	SQ322HD	SQ722HD	TY322	TY722
7.50-17	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
33X12.50x17	V295	V795	SQ295	SQ795	SQ295HD	SQ795HD	TY295	TY795
35X12.50x17	V332	V732	SQ332	SQ732	SQ332HD	SQ732HD	TY332	TY732
215/70/17.5	V315	V715	SQ315	SQ715	SQC315HD	SQC715HD	TY315	TY715
225/70/17.5	V315	V715	SQ315	SQ715	SQC315HD	SQC715HD	TY315	TY715
245/70/17.5	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
275/70/17.5	V295	V795	SQ295	SQ795	SQ295HD	SQ795HD	TY295	TY795
205/75/17.5	V315	V715	SQ315	SQ715	SQC315HD	SQC715HD	TY315	TY715
215/75/17.5	V315	V715	SQ315	SQ715	SQC315HD	SQC715HD	TY315	TY715
225/75/17.5	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
235/75/17.5	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
8-17.5	V315	V715	SQ315	SQ715	SQC315HD	SQC715HD	TY315	TY715
10-17.5	V315	V715	SQ315	SQ715	SQC315HD	SQC715HD	TY315	TY715
<b>18 and 18.5" Rims</b>								
255/55/18	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
275/55/18	V322	V722	SQ322	SQ722	SQ322HD	SQ722HD	TY322	TY722
285/55/18	V295	V795	SQ295	SQ795	SQ295HD	SQ795HD	TY295	TY795
235/60/18	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
245/60/18	V320	V720	2129SLC	4129SLC	2129HD	4129HD	S320	S720
255/60/18	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
265/60/18	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
275/60/18	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
285/60/18	V295	V795	SQ295	SQ795	SQ295HD	SQ795HD	TY295	TY795
305/60/18	V332	V732	SQ332	SQ732	SQ332HD	SQ732HD	TY332	TY732
325/60/18	V332	V732	SQ332	SQ732	SQ332HD	SQ732HD	TY332	TY732

## MORFCO SUPPLY

Tire size	V-Bar		Square Link				7mm Studded	
	Singles Pg. 14	Triples Pg. 15	Singles Pg. 15	Triples Pg. 15	HD Singles Pg. 16	HD Triples Pg. 16	Singles Pg. 16	Triples Pg. 16
<b>225/65/18</b>	V315	V715	SQ315	SQ715	SQC315HD	SQC715HD	TY315	TY715
<b>235/65/18</b>	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
<b>255/65/18</b>	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
<b>265/65/18</b>	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
<b>275/65/18</b>	V322	V722	SQ322	SQ722	SQ322HD	SQ722HD	TY322	TY722
<b>285/65/18</b>	V295	V795	SQ295	SQ795	SQ295HD	SQ795HD	TY295	TY795
<b>305/65/18</b>	V332	V732	SQ332	SQ732	SQ332HD	SQ732HD	TY332	TY732
<b>225/70/18</b>	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
<b>255/70/18</b>	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
<b>265/70/18</b>	V322	V722	SQ322	SQ722	SQ322HD	SQ722HD	TY322	TY722
<b>275/70/18</b>	V322	V722	SQ322	SQ722	SQ322HD	SQ722HD	TY322	TY722
<b>285/70/18</b>	V295	V795	SQ295	SQ795	SQ295HD	SQ795HD	TY295	TY795
<b>305/70/18</b>	V332	V732	SQ332	SQ732	SQ332HD	SQ732HD	TY332	TY732
<b>265/75/18</b>	V322	V722	SQ322	SQ722	SQ322HD	SQ722HD	TY322	TY722
<b>275/75/18</b>	V322	V722	SQ322	SQ722	SQ322HD	SQ722HD	TY322	TY722
<b>285/75/18</b>	V332	V732	SQ332	SQ732	SQ332HD	SQ732HD	TY332	TY732
<b>235/80/18</b>	V322	V722	SQ322	SQ722	SQ322HD	SQ722HD	TY322	TY722
<b>7.00-18</b>	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
<b>10.5-18</b>	V332	V732	SQ332	SQ732	SQ332HD	SQ732HD	TY332	TY732
<b>35X12.50x18</b>	V332	V732	SQ332	SQ732	SQ332HD	SQ732HD	TY332	TY732
<b>38X15.50x18</b>	V355	V755	SQ355	SQ755	SQ355HD	SQ755HD	TY355	TY755
<b>19" and 19.5" Rims</b>								
<b>275/45/19</b>	V322	V722	SQ322	SQ722	SQ322HD	SQ722HD	TY322	TY722
<b>285/45/19</b>	V322	V722	SQ322	SQ722	SQ322HD	SQ722HD	TY322	TY722
<b>255/50/19</b>	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
<b>275/55/19</b>	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
<b>225/70/19.5</b>	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
<b>245/70/19.5</b>	V322	V722	SQ322	SQ722	SQ322HD	SQ722HD	TY322	TY722
<b>265/70/19.5</b>	V332	V732	SQ332	SQ732	SQ332HD	SQ732HD	TY332	TY732
<b>285/70/19.5</b>	V342	V742	SQ342	SQ742	SQ342HD	SQ742HD	TY342	TY742
<b>305/70/19.5</b>	V342	V742	SQ342	SQ742	SQ342HD	SQ742HD	TY342	TY742
<b>8-19.5</b>	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720

MORFCO SUPPLY

Tire size	V-Bar		Square Link				7mm Studded	
	Singles Pg. 14	Triples Pg. 15	Singles Pg. 15	Triples Pg. 15	HD Singles Pg. 16	HD Triples Pg. 16	Singles Pg. 16	Triples Pg. 16
<b>20" Rims</b>								
255/60/20	V295	V795	SQ295	SQ795	SQ295HD	SQ795HD	TY295	TY795
265/60/20	V295	V795	SQ295	SQ795	SQ295HD	SQ795HD	TY295	TY795
275/60/20	V295	V795	SQ295	SQ795	SQ295HD	SQ795HD	TY295	TY795
285/60/20	V332	V732	SQ332	SQ732	SQ332HD	SQ732HD	TY332	TY732
355/60/20	V332	V732	SQ332	SQ732	SQ332HD	SQ732HD	TY332	TY732
275/65/20	V332	V732	SQ332	SQ732	SQ332HD	SQ732HD	TY332	TY732
385/65/20	V342	V742	SQ342	SQ742	SQ342HD	SQ742HD	TY342	TY742
395/65/20	V343	V743	SQ343	SQ743	SQ343HD	SQ743HD	TY343	TY743
6.50-20	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720
7.50-20	V322	V722	SQ322	SQ722	SQ322HD	SQ722HD	TY322	TY722
<b>22" and 22.5" Rims</b>								
7-22.5	V320	V720	SQ320	SQ720	SQ320HD	SQ720HD	TY320	TY720

## V-Bar Chains 7mm and 8mm Cross Chains



<b>Singles</b>					
Singles		Singles with Cam Locks		Cross Chain #	Cross Chain Size
Stock #	Weight	Stock #	Weight		
<b>V295</b>	47 lbs	<b>VC295</b>	49 lbs	V5340	7mm
<b>V315</b>	43 lbs	<b>VC315</b>	45 lbs	V5315	7mm
<b>V320</b>	47 lbs	<b>VC320</b>	49 lbs	V5315	7mm
<b>V322</b>	52 lbs	<b>VC322</b>	54 lbs	V5315	7mm
<b>V332</b>	55 lbs	<b>VC332</b>	57 lbs	V5330	7mm
<b>V355</b>	81 lbs	<b>VC355</b>	83 lbs	V5355	8mm



## Square Link 7mm Cross Chains

<b>7mm Square link</b>				
Singles with Cam Locks		Triples with Cam Locks		Cross Chain #
Stock #	Weight	Stock #	Weight	
<b>SQ295</b>	46	<b>SQ295</b>	80	SQ5340
<b>SQ315</b>	31	<b>SQ715</b>	54	SQ5315
<b>SQ320</b>	35	<b>SQ320</b>	66	SQ5315
<b>SQ322</b>	38	<b>SQ322</b>	70	SQ5315
<b>SQ332</b>	40	<b>SQ332</b>	73	SQ5330
<b>SQ342</b>	51	<b>SQ342</b>	84	SQ5340
<b>SQ343</b>	53	<b>SQ343</b>	89	SQ5340
<b>SQ355</b>	68	<b>SQ355</b>	118	SQ5355



## Truck Chain Fit Chart

Tire Size	Twist Link		V-Bar		Square Link	
	Singles Pg. 19	Triples Pg. 19	Singles Pg. 21	Triples Pg. 21	Singles Pg. 20	Triples Pg. 20
<b>245/70/19.5</b>	R322	R722	V322	V722	SQ322	SQ722
<b>265/70/19.5</b>	R332	R732	V332	V732	SQ332	SQ732
<b>285/70/19.5</b>	R342	V742	V342	V742	SQ342	SQ742
<b>305/70/19.5</b>	R343	R743	V343	V743	SQ343	SQ743
<b>8-19.5</b>	R320	R720	V320	V720	SQ320	SQ720
<b>15-19.5</b>	R356	R756	V356	V756	SQ356	SQ756
<b>16.5-19.5</b>	R357	R757	V357	V757	SQ357	SQ757
<b>18-19.5</b>	R377	R777	V377	V777	SQ377	SQ777
<b>20" Rims</b>						
<b>245/45/20</b>	R295	R795	V295	V795	SQ295	SQ795
<b>365/80/20</b>	R357	R757	V357	V757	SQ357	SQ757
<b>6.50-20</b>	R320	R720	V320	V720	SQ320	SQ720
<b>7.00-20</b>	R322	R722	V322	V722	SQ322	SQ722
<b>7.50-20</b>	R322	R722	V322	V722	SQ322	SQ722
<b>8.25-20</b>	R332	R732	V332	V732	SQ332	SQ732
<b>9.00-20</b>	R342	V742	V342	V742	SQ342	SQ742
<b>10.00-20</b>	R343	R743	V343	V743	SQ343	SQ743
<b>11.00-20</b>	R355	R755	V355	V755	SQ355	SQ755
<b>12.00-20</b>	R356	R756	V356	V756	SQ356	SQ756
<b>14.00-20</b>	R377	R777	V377	V777	SQ377	SQ777
<b>22" and 22.5" Rims</b>						
<b>10.00-22</b>	R344	R744	V344	V744	SQ344	SQ744
<b>11.00-22</b>	R356	R756	V356	V756	SQ356	SQ756
<b>425/55/22.5</b>	R377	R777	V377	V777	SQ377	SQ777
<b>445/55/22.5</b>	R377	R777	V377	V777	SQ377	SQ777

**Parts available in 8mm**

## MORFCO SUPPLY

Tire Size	Twist Link		V-Bar		Square Link	
	Singles Pg. 19	Triples Pg. 19	Singles Pg. 21	Triples Pg. 21	Singles Pg. 20	Triples Pg. 20
455/55/22.5	R377	R777	V377	V777	SQ377	SQ777
385/65/22.5	R357	R757	V357	V757	SQ357	SQ757
425/65/22.5	R377	R777	V377	V777	SQ377	SQ777
445/65/22.5	R377	R777	V377	V777	SQ377	SQ777
225/70/22.5	R332	R732	V332	V732	SQ332	SQ732
245/70/22.5	R332	R732	V332	V732	SQ332	SQ732
255/70/22.5	R355	R755	V355	V755	SQ355	SQ755
275/70/22.5	R342	V742	V342	V742	SQ342	SQ742
365/70/22.5	R356	R756	V356	V756	SQ356	SQ756
235/75/22.5	R332	R732	V332	V732	SQ332	SQ732
245/75/22.5	R332	R732	V332	V732	SQ332	SQ732
265/75/22.5	R342	V742	V342	V742	SQ342	SQ742
285/75/22.5	R343	R743	V343	V743	SQ343	SQ743
295/75/22.5	R343	R743	V343	V743	SQ343	SQ743
235/80/22.5	R332	R732	V332	V732	SQ332	SQ732
255/80/22.5	R342	V742	V342	V742	SQ342	SQ742
275/80/22.5	R343	R743	V343	V743	SQ343	SQ743
295/80/22.5	R355	R755	V355	V755	SQ355	SQ755
315/80/22.5	R355	R755	V355	V755	SQ355	SQ755
365/80/22.5	R356	R756	V356	V756	SQ356	SQ756
275/85/22.5	R343	R743	V343	V743	SQ343	SQ743
305/85/22.5	R344	R744	V344	V744	SQ344	SQ744
7-22.5	R320	R720	V320	V720	SQ320	SQ720
8-22.5	R322	R722	V322	V722	SQ322	SQ722
9-22.5	R332	R732	V332	V732	SQ332	SQ732
10-22.5	R342	V742	V342	V742	SQ342	SQ742
11-22.5	R343	R743	V343	V743	SQ343	SQ743
12-22.5	R355	R755	V355	V755	SQ355	SQ755
12.5-22.5	R356	R756	V356	V756	SQ356	SQ756
15-22.5	R377	R777	V377	V777	SQ377	SQ777

**Parts available in 8mm**

## MORFCO SUPPLY

Tire Size	Twist Link		V-Bar		Square Link	
	Singles Pg. 19	Triples Pg. 19	Singles Pg. 21	Triples Pg. 21	Singles Pg. 20	Triples Pg. 20
<b>11.00-24</b>	R357	R757	V357	V757	SQ357	SQ757
<b>12.00-24</b>	R372	R772	V372	V772	SQ372	SQ772
<b>285/75/24.5</b>	R343	R743	V343	V743	SQ343	SQ743
<b>305/75/24.5</b>	R344	R744	V344	V744	SQ344	SQ744
<b>315/75/24.5</b>	R355	R755	V355	V755	SQ355	SQ755
<b>275/80/24.5</b>	R344	R744	V344	V744	SQ344	SQ744
<b>285/80/24.5</b>	R344	R744	V344	V744	SQ344	SQ744
<b>11-24.5</b>	R344	R744	V344	V744	SQ344	SQ744
<b>12-24.5</b>	R356	R756	V356	V756	SQ356	SQ756

**Parts available 8mm**



## V-Bar Chains 7mm and 8mm Cross Chains

<b>Singles</b>					
Singles		Singles with Cam Locks		Cross Chain #	Cross Chain Size
Part #	Weight	Part #	Weight		
<b>V322</b>	52 lbs	<b>V322</b>	54 lbs	V5315	7mm
<b>V332</b>	55 lbs	<b>V332</b>	57 lbs	V5330	
<b>V342</b>	57 lbs	<b>V342</b>	59 lbs	V5340	
<b>V343</b>	60 lbs	<b>V343</b>	62 lbs	V5340	
<b>V343HD</b>	71 lbs	<b>V343HD</b>	71 lbs	V5340HD	8mm
<b>V344</b>	64 lbs	<b>V344</b>	66 lbs	V5340	7mm
<b>V344HD</b>	69 lbs	<b>V344HD</b>	72 lbs	V5340HD	8mm
<b>V355</b>	75 lbs	<b>V355</b>	77 lbs	V5355	
<b>V356</b>	81 lbs	<b>V356</b>	83 lbs	V5355	
<b>V372</b>	93 lbs	<b>V372</b>	95 lbs	V5355	
<b>V375</b>	94 lbs	<b>V375</b>	96 lbs	V5370	
<b>V377</b>	95 lbs	<b>V377</b>	97 lbs	V5370	



<b>Triples</b>					
Triples		Triples with Cam Locks		Cross Chain #	Cross Chain Size
Part #	Weight	Part #	Weight		
<b>V722</b>	91 lbs	<b>V722</b>	95 lbs	V5315	7mm
<b>V732</b>	98 lbs	<b>V732</b>	102 lbs	V5330	
<b>V742</b>	103 lbs	<b>V742</b>	107 lbs	V5340	
<b>V742HD</b>	120 lbs	<b>V742HD</b>	125 lbs	V5340HD	8mm
<b>V743</b>	108 lbs	<b>V743</b>	110 lbs	V5340	7mm
<b>V743HD</b>	126 lbs	<b>V743HD</b>	131 lbs	V5340HD	8mm
<b>V744</b>	118 lbs	<b>V744</b>	120 lbs	V5340	7mm
<b>V744HD</b>	131 lbs	<b>V744HD</b>	130 lbs	V5340HD	8mm
<b>V755</b>	137 lbs	<b>V755</b>	141 lbs	V5355	
<b>V756</b>	148 lbs	<b>V756</b>	152 lbs	V5355	
<b>V772</b>	158 lbs	<b>V772</b>	162 lbs	V5355	
<b>V775</b>	160 lbs	<b>V775</b>	164 lbs	V5370	
<b>V777</b>	162 lbs	<b>V777</b>	166 lbs	V5370	



## MORFCO SUPPLY

Tire Size	Duogrip	Duogrip V-bar	Bulk stock #	Weight
<b>12.5/80x18</b>	DUO214M	N/A	DUO292BC	92 lbs
<b>11.2x24</b>	DUO214	N/A	DUO292BC	95 lbs
<b>15x19.5</b>	DUO215	N/A	DUO294BC	100 lbs
<b>11.2x34</b>	DUO224	N/A	DUO292BC	154 lbs
<b>11.2x36</b>	DUO224	N/A	DUO292BC	154 lbs
<b>12.4x24</b>	DUO229	N/A	DUO293BC	138 lbs
<b>12.4x36</b>	DUO232	N/A	DUO293BC	183 lbs
<b>12.4x38</b>	DUO232	N/A	DUO293BC	183 lbs
<b>13.6x24</b>	DUO240	N/A	DUO295BC	150 lbs
<b>13.6x26</b>	DUO240	N/A	DUO295BC	150 lbs
<b>13.6x28</b>	DUO242	N/A	DUO294BC	129 lbs
<b>14.9x24</b>	DUO242	N/A	DUO294BC	129 lbs
<b>12.4x40</b>	DUO246	N/A	DUO294BC	191 lbs
<b>13.6x36</b>	DUO246	N/A	DUO294BC	191 lbs
<b>14.9x26</b>	DUO250	N/A	DUO295BC	210 lbs
<b>14.9x28</b>	DUO250	N/A	DUO295BC	210 lbs
<b>14.9x30</b>	DUO252	N/A	DUO295BC	182 lbs
<b>14.9x38</b>	DUO254	N/A	DUO296BC	178 lbs
<b>15.5x38</b>	DUO254	N/A	DUO296BC	178 lbs
<b>14.9x46</b>	DUO256	DUO256V	DUO297BC	237 lbs
<b>12.4x28</b>	DUO259	DUO259V	DUO297BC	254 lbs
<b>12.4x52</b>	DUO259	DUO259V	DUO297BC	254 lbs
<b>16.9x24</b>	DUO262	DUO262V	DUO297BC	247 lbs
<b>16.9x28</b>	DUO262	DUO262V	DUO297BC	247 lbs
<b>16.9x30</b>	DUO266	DUO266V	DUO297BC	237 lbs
<b>16.9x32</b>	DUO266	DUO266V	DUO297BC	237 lbs
<b>18.4x24</b>	DUO268	DUO268V	DUO298BC	244 lbs
<b>18.4x26</b>	DUO268	DUO268V	DUO298BC	244 lbs
<b>18.4x28</b>	DUO269	DUO269V	DUO298BC	254 lbs

## MORFCO SUPPLY

Tire Size	Duogrip	Duogrip V-bar	Bulk stock #	Weight
<b>16.9x34</b>	DUO270	DUO270V	DUO297BC	225 lbs
<b>18.4x28</b>	DUO271	DUO271V	DUO298BC	232 lbs
<b>18.4x30</b>	DUO271	DUO271V	DUO298BC	232 lbs
<b>16.9x38</b>	DUO272	DUO272V	DUO298BC	238lbs
<b>20.8x34</b>	DUO272	DUO272V	DUO298BC	238lbs
<b>18.4x34</b>	DUO273	DUO273V	DUO298BC	247 lbs
<b>18.4x38</b>	DUO274	DUO274V	DUO298BC	258 lbs
<b>20.8x38</b>	DUO276	N/A	DUO299BC	260 lbs
<b>18.4x42</b>	DUO277	DUO277V	DUO298BC	263 lbs
<b>23.1x26</b>	DUO280	N/A	DUO299BC	280 lbs
<b>23.1x28</b>	DUO280	N/A	DUO299BC	280 lbs



## Forklift Chain Fit Chart

Tire Size	V-Bar	Twist Link	V-Bar	Square link	Square link
	Pg. 48	Pg. 47	Double duty	Pg. 48	Double duty
	Pg. 48	Pg. 47	Pg. 48	Pg. 48	Pg. 48
<b>22X6X173/4</b>	V1401	1401	V1401-2	SQ1401	SQ1401-2
<b>22X8X173/4</b>	V1402	1402	V1402-2	SQ1402	SQ1402-2
<b>22X10X173/4</b>	V1403	1403	V1403-2	SQ1403	SQ1403-2
<b>18X6X121/8</b>	V1401	1401	V1401-2	SQ1401	SQ1401-2
<b>18X7X121/8</b>	V1401	1401	V1401-2	SQ1401	SQ1401-2
<b>18X8X121/8</b>	V1401	1401	V1401-2	SQ1401	SQ1401-2
<b>18X9X121/8</b>	V1401	1401	V1401-2	SQ1401	SQ1401-2
<b>5.00X8</b>	V1400	1400	V1400-2	SQ1400	SQ1400-2
<b>16X6X8</b>	V1400	1400	V1400-2	SQ1400	SQ1400-2
<b>18X7X8</b>	V1401	1401	V1401-2	SQ1401	SQ1401-2
<b>600X9</b>	V1401	1401	V1401-2	SQ1401	SQ1401-2
<b>21X8X9</b>	V1402	1402	V1402-2	SQ1402	SQ1402-2
<b>6.50X10</b>	V1402	1402	V1402-2	SQ1402	SQ1402-2
<b>7.50X10</b>	V1403	1403	V1403-2	SQ1403	SQ1403-2
<b>23X9X10</b>	V1406	1406	V1406-2	SQ1406	SQ1406-2
<b>700X12</b>	V1403	1403	V1403-2	SQ1403	SQ1403-2
<b>23X10X12</b>	V1406	1406	V1406-2	SQ1406	SQ1406-2
<b>27X10X12</b>	V1404	1404	V1404-2	SQ1404	SQ1404-2
<b>18X8X14</b>	V1401	1401	V1401-2	SQ1401	SQ1401-2
<b>18X9X14</b>	V1401	1401	V1401-2	SQ1401	SQ1401-2
<b>250X15</b>	V1405	1405	V1405-2	SQ1405	SQ1405-2
<b>300X15</b>	V1409	1409	V1409-2	SQ1409	SQ1409-2
<b>700X15</b>	V1404	1404	V1404-2	SQ1404	SQ1404-2
<b>750X15</b>	V1405	1405	V1405-2	SQ1405	SQ1405-2
<b>815X15</b>	V1404	1404	V1404-2	SQ1404	SQ1404-2
<b>8.25X15</b>	V1408	1408	V1408-2	SQ1408	SQ1408-2
<b>28X9X15</b>	V1404	1404	V1404-2	SQ1404	SQ1404-2
<b>28X12.5X15</b>	V1407	1407	V1407-2	SQ1407	SQ1407-2
<b>32X12.1X15</b>	V1409	1409	V1409-2	SQ1409	SQ1409-2

## MORFCO SUPPLY

Tire Size	V-Bar	Twist Link	V-Bar Double duty	Square link	Square link Double duty
	Pg. 48	Pg. 47	Pg. 48	Pg. 48	Pg. 48
<b>7.50X16</b>	V1405	1405	V1405-2	SQ1405	SQ1405-2
<b>21X5X15</b>	V1401	1401	V1401-2	SQ1401	SQ1401-2
<b>21X6X15</b>	V1401	1401	V1401-2	SQ1401	SQ1401-2
<b>21X7X15</b>	V1401	1401	V1401-2	SQ1401	SQ1401-2
<b>21X8X15</b>	V1402	1402	V1402-2	SQ1402	SQ1402-2
<b>21X9X15</b>	V1402	1402	V1402-2	SQ1402	SQ1402-2
<b>22X5X16</b>	V1402	1402	V1402-2	SQ1402	SQ1402-2
<b>22X6X16</b>	V1402	1402	V1402-2	SQ1402	SQ1402-2
<b>22X7X16</b>	V1402	1402	V1402-2	SQ1402	SQ1402-2
<b>22X8X16</b>	V1402	1402	V1402-2	SQ1402	SQ1402-2
<b>22X9X16</b>	V1403	1403	V1403-2	SQ1403	SQ1403-2
<b>22X10X16</b>	V1403	1403	V1403-2	SQ1403	SQ1403-2
<b>28X10X22</b>	V1404	1404	V1404-2	SQ1404	SQ1404-2
<b>28X12X22</b>	V1408	1408	V1408-2	SQ1408	SQ1408-2


## Skid Steer Chain Fit Chart

Tire Size	Twist Link	V-Bar	V-bar w/cams	Square Link	Square Link Double duty	Square Link w/cams
<b>10X16.5</b>	R320	V320	VC320	SQ320	SQ320DD	SQC320
<b>12X16.5</b>	R295HEX	V295HEX	VC295HEX	SQ295HE	SQ295HDD	SQC295HE
<b>14X17.5</b>	R1502M	V1502M	VC1502M	SQ1502	SQ1502DD	SQC1502
<b>12.5X80X18</b>	R1502M	V1502M	VC1502M	SQ1502	SQ1502DD	SQC1502

## Small Track and Snowblower Chain Fit Chart

Tire Size	Twist Link Double duty	Tire Size	Twist Link
	Pg. 56		Pg. 60
<b>10/10.5X2.75</b>	1700-2	<b>20X10X10</b>	1733-2
<b>10.25X3.25</b>	1700-2	<b>22X10.00X10</b>	1736-2
<b>10X3.50</b>	1700-2	<b>6X12</b>	1739-2
<b>4.10/3.50X4</b>	1703-2	<b>7X12</b>	1742-2
<b>3.40/3.00X5</b>	1703-2	<b>8X12</b>	1742-2
<b>4.10X4.50X5</b>	1706-2	<b>23X7.50X12</b>	1739-2
<b>1.45X70X6</b>	1715-2	<b>23X8.50X12</b>	1742-2
<b>4.10/3.50X6</b>	1706-2	<b>23X9.50X12</b>	1736-2
<b>5.30X6</b>	1715-2	<b>23X10.50X12</b>	1736-2
<b>5.30X4.50X6</b>	1715-2	<b>24X12X12</b>	1745-2
<b>12X3.50X6</b>	1706-2	<b>26X12.00X12</b>	1748-2
<b>12.25X3.50X6</b>	1706-2	<b>27X12X12</b>	1751-2
<b>13X5X6</b>	1709-2	<b>25X8.50X14</b>	1754-2
<b>13X6.5X6</b>	1712-2	<b>7.6X15</b>	1754-2
<b>14X4X6</b>	1709-2	<b>8X15</b>	1754-2
<b>15X15.00X6</b>	1715-2	<b>27X8.50X15</b>	1754-2
<b>15X6.00X6</b>	1715-2	<b>27X10.5X15</b>	1748-2
<b>4.00/4.80X8</b>	1712-2	<b>7X16</b>	1754-2
<b>15X6.50X8</b>	1715-2	<b>8.3X16</b>	1760-2
<b>16X6.50X8</b>	1718-2	<b>28X8X16</b>	1757-2
<b>18X6.50X8</b>	1721-2	<b>9.5X16</b>	1763-2
<b>18X9.50X8</b>	1727-2	<b>9.6X16</b>	1763-2
<b>5.00/5.70X8</b>	1721-2	<b>1100X16</b>	1766-2
<b>20X8X8</b>	1730-2	<b>9.5X18</b>	1766-2
<b>18X8.50X8</b>	1724-2	<b>10.50/80X18</b>	1766-2
<b>20X10X8</b>	1733-2	<b>12.5/80X18</b>	1769-2
<b>18X8.50X10</b>	1724-2	<b>8.3X24</b>	1766-2
<b>20X8.00X10</b>	1730-2	<b>9.5X24</b>	1769-2

# B.C. Ministry of Transportation Chain Up Guide




**BRITISH COLUMBIA**  
The Best Place on Earth

Ministry of  
Transportation


---

### Suggested Use of Tire Chains:

1. Pull off highway to a safe place to install or remove chains.
2. Always inspect each chain carefully to remove any tangles or twists prior to installation. Breakage in link chains is caused by driving on twisted links, driving at speeds greater than **50 km/h** for a prolonged period and extended driving on dry pavement.
3. Carry rubber adjusters to keep chains snug to tight.
4. Do not exceed **50 km/h** while using chains.
5. Make sure your tire chains are properly sized. Proper fit is the key to performance.
6. Always pre-fit your chains to your vehicle before they are actually needed. While winter chains are uniform in size, tires are not. Tires vary in size by manufacturer, age, tread and type. Winter tires may require a larger set of chains than a like-sized highway tire.











## CHAIN UP SUGGESTIONS



---



### CABLE CHAINS NOT RECOMMENDED ON DRIVE AXLES OF COMMERCIAL VEHICLES.

#### LEGEND

-  Driving axle (with chains)
-  Non-driving axle (without chains)
-  Driving axle (without chains)
-  Wheel with chains
-  Wheel without chains
-  Drive axle must be chained
-  Single axles must be chained. (All four wheels with chains.)
-  Both axles must be chained. (All four wheels with chains.)


Current Road Conditions  
[www.drivebc.ca](http://www.drivebc.ca)


1-800-550-4997


  


TRUCKS AND VEHICLE COMBINATIONS OVER 27,000 kg LICENSED GVW MUST CARRY TIRE CHAINS BEYOND THIS POINT  
October 1 to April 30  
**NO EXCEPTIONS**

#### CARS / TRUCKS



  
Rear Wheel Drive

  
Front Wheel Drive


  
Rear Wheel Drive


#### BUSES / RECREATIONAL VEHICLES


(Articulated buses must also chain outside wheels of last axle.)


#### TRUCKS - 5 AXLES OR LESS


  
3 Axle - Straight Truck / Tractor Unit


  
4 Axle

  
5 Axle - Semi Combination

#### TRUCKS - 6 AXLES OR MORE

  
6 Axle - Tri-axle

  
7 Axle - B-Train

  
8 Axle - Super B-Train

For more information please visit the B.C. government website:  
[http://www.th.gov.bc.ca/SeasonalDriving/winter\\_chains.html](http://www.th.gov.bc.ca/SeasonalDriving/winter_chains.html)

**KAMLOOPS  
(Main Branch)**

#1 – 1465 Pearson Place  
Kamloops, BC V1S 1J9  
Tel: (250) 372-3399  
Fax: (250) 372-3002  
orderdesk@morfcosupply.ca

**LANGLEY**

#C105 – 19770 94A Ave  
Langley, BC V1M 3B7  
Tel: (604) 513-5222  
Fax: (604) 513-8107  
vanparts@morfcosupply.ca

**PRINCE GEORGE**

1867 1<sup>st</sup> Ave  
Prince George, BC V2L 2Y8  
Tel: (250) 564-3391  
Fax: (250) 564-3361  
pgparts@morfcosupply.ca

**NANAIMO**

Dereck Smith  
Tel: (250) 616-6192  
derek@morfcosupply.com





***Nanaimo***  
**1-250-616-6192**

***Kamloops***  
**1-800-372-3386**

***Vancouver***  
**1-866-655-0526**

***Prince George***  
**1-800-372-3386**