

Table of Contents

Street Sweeping	
Tube Brooms/Wafers	2
Strip Brooms	4
Gutter Brooms	6
Road Building & Attachments	
Tube Brooms	8
Strip Brooms	10
Wafers/Attachments	12
Runway Sweeping	
Wafers	14
Cassettes	16
Engineered Products & Specialty Brushes	18
Replacement Parts, In-Plant Sweeper Brooms	19
Order Form	20



Street Sweeping Product

Tube Brooms

We construct our tube brooms with our own virgin polypropylene filament for better “flick action.” Combined with more wraps than the average broom, our tube broom provides you with more sweeping ends per square inch of broom face for consistent sweeping results. Compare our filament weight with the cheaper brooms, and you will see why United Rotary Brush Tube Brooms are the right choice.



Broom Basics Tip!

Proper speed reduces stress to the broom. If you travel too fast, the debris piles up in front of the broom causing you to bulldoze instead of sweep. This can damage not only the broom, but also the core, chains, sprockets, drive lines and frame.



Manufacturer/Model	Part #	Length
Elgin Broom Bear	21-083658MOP	58"
Elgin Eagle	21-083660EAP	60"
Elgin Pelican	21-083666ELP	66"
Elgin Road Wizard	21-083660EAP	60"
Global M3/MX3	21-053256VNP	56.5"
Global Python 2500	21-083660EAP	60"
Johnston 3000/4000	21-053256VNP	56.5"
Mobil Athey	21-083658MOP	58"
Schwarze M5000	21-083658MOP	58"
Schwarze M6 Avalanche	21-083658MOP	58"
Tennant 830	21-082450TEP	50"
Tennant Centurion	21-083668TEP	68"
Wayne Gladiator	21-083660EAP	60"
Wayne Warrior	21-083668TEP	68"


*COMBO TUBE BROOMS AVAILABLE

Check out our BroomFinder @ www.united-rotary.com for an expanded product list.



Small Diameter Tube Brooms

For Vac-U-Sweep applications, we offer our small diameter tube brooms. These brooms are not intended for sweeping, but are used for agitation. Gutterbrooms sweep the debris in front of the small diameter agitation broom, as the vacuum head picks up the debris.




Manufacturer/Model	Part #	Length
Elgin Crosswind	21-021278CRP	78"
Elgin GeoVac	21-021660WWP	60"
Elgin Whirlwind	21-021660WWP	60"
Elgin Whirlwind MV	21-021654ELP	54"
Johnston 400	21-041248ECP	48"
Johnston 600	21-041552JOP	52.5"
Johnston 650	21-041551JOP650	51"
Tymco 600	21-021279TYP	79"
Vac/All	21-021640LVP	40"
Vactor 780	21-041958SUPDZ	58"



Broom Basics Tip!

"Flick Action" is the movement of the broom bristle when in use. Each strand "flicks" as the broom rotates. Flicking of the filament is required for best sweeping results. If you are flicking, you are sweeping, if you are not flicking, you are plowing or pushing.

Poly & Wire Wafers



5" X 15" Wafers	Part #
Poly Flat	01-050150PW
Wire Flat	06-050150WW
Spacer	15-SPACER05
10" X 36" Wafers	Part #
Poly Flat	01-100360PW
Wire Flat	06-100360WW
Spacer	15-SPACER10
Poly Convolved	04-100360PC
Wire Convolved	09-100360WC

When your street sweeper application calls for wafers, we carry 5" x 15" flat wafers, available in poly or wire filament. United Rotary Brush also offers 10" x 36" wafers in poly and wire, both available in flat and convoluted. Wafer combinations in poly and wire filaments allow you the flexibility to customize your broom to meet specific sweeping conditions.

UnitedPro™ Strip Brooms

Our center sweep design directs the debris towards the center of the sweeping path to prevent streaking and promote center hopper loading. This reduces elevator wear and the need for constant adjustments.

The UnitedPro Strips are easy to install and replace. The plastic-back strips easily slide in and out of your core, reducing downtime. Strips are available in regular (18) or heavy duty (21) strips per set.

Every UnitedPro Strip is constructed of 100% polypropylene. They are also 100% recyclable. Check with your local recycling center to see if they will accept worn UnitedPro Strips.



UnitedPro Strips fit in compact boxes, reducing shipping costs up to 60% and more over tube brooms. Also the packaging of strips brooms make them easy to stack and store.



Change your sweeper's main broom without removing the core, on site and by yourself, in under 15 minutes



Center sweep mandrel directs debris to the center of sweeping path for impressive results



Easy on the environment, as the UnitedPro Strips are 100% recyclable



A mandrel is a hollow tube that slides onto the broom arbor. A mandrel is used on a municipal street sweeper when converting from a tube broom to a strip broom. Mandrels are 18 rows.



Broom Basics Tip!

Converting a tube broom to a strip broom is easy! Remove the tube broom and replace with a strip broom mandrel or core, then insert the UnitedPro strips.

Manufacturer/Model	Part #	Length	# per Set	Core #	Mandrel #
Johnston 3000/4000	20-130565AP	56.5"	13	27-APC565	N/A
Global M3/MX3	20-130565AP	56.5"	13	27-APC565	N/A
Elgin Broom Bear	20-130580AP	58"	18	27-APC58	27-AP58
Elgin Eagle	20-130600AP	60"	18	27-APC60	27-AP60
Elgin Pelican	20-130660AP	66"	18	27-APC66	27-AP66
Elgin Road Wizard	20-130600AP	60"	18	27-APC60	27-AP60
Global Python 2500	20-130600AP	60"	18	27-APC60	27-AP60
Mobil Athey	20-130580AP	58"	18	27-APC58	27-AP58
Schwarze M5000	20-130580AP	58"	18	27-APC58	27-AP58
Schwarze M6 Avalanche	20-130580AP	58"	18	27-APC58	27-AP58
Wayne Gladiator	20-130600AP	60"	18	27-APC60	27-AP60
Elgin Broom Bear	20-120580AP	58"	21*	27-APC2158	N/A
Elgin Eagle	20-120600AP	60"	21*	27-APC2160	N/A
Elgin Pelican	20-120660AP	66"	21*	27-APC2166	N/A
Elgin Road Wizard	20-120600AP	60"	21*	27-APC2160	N/A
Global Python 2500	20-120600AP	60"	21*	27-APC2160	N/A
Mobil Athey	20-120580AP	58"	21*	27-APC2158	N/A
Schwarze M5000	20-120580AP	58"	21*	27-APC2158	N/A
Schwarze M6 Avalanche	20-120580AP	58"	21*	27-APC2158	N/A
Tennant Centurion	20-120680AP	68"	21*	27-APC2168	N/A
Wayne Gladiator	20-120600AP	60"	21*	27-APC2160	N/A
Wayne Warrior	20-120680AP	68"	21*	27-APC2168	N/A

*UnitedPro strips are available in 21 strips per set for heavy-duty sweeping.

**Check out our BroomFinder @
www.united-rotary.com
for an expanded product list.**



Cores have drive plates welded in each end. The drive plates are what allows the core to be mounted to the machine. Cores can either be 18 rows for standard sweeping or 21 rows for heavy-duty sweeping.

Blue Steel Gutter Brooms

Proven, Powerful Performance. Thanks to revolutionary new technology, United Rotary Brush's Blue Steel patented, cold rolled wire delivers the same durability and long broom life you expect to find only in oil tempered wire. After nearly two years of rigorous testing, we've established that Blue Steel delivers the same - if not better - performance as oil tempered wire.

Superior Quality at Superior Value. The innovative manufacturing process used to produce Blue Steel is so efficient, we really can deliver superior performance in the cold rolled price range.

Easy on the Environment. Because Blue Steel is manufactured without oil tempering, it is a more environmentally-friendly product. Plus, there are no harmful by-products to leach into water supplies and soil.



Check out our **BroomFinder** @ www.united-rotary.com for an expanded product list.



Broom Basics Tip!

To maintain optimum performance, replace your gutter broom when the strands reach one-half their original length. This measurement is equal to approximately 5 inches.

Manufacturer/Model	Part #
Elgin Broom Bear	41-PATELP5
Elgin Crosswind	41-PATWWP2
Elgin Crosswind	41-PATELP4
Elgin Crosswind J	41-PATELP5
Elgin Eagle	41-PATELP5
Elgin GeoVac	41-PATWWP2
Elgin Pelican	41-PATELP4
Elgin Road Wizard	41-PATELP5
Elgin Whirlwind	41-PATWWP2
Elgin Whirlwind MV	41-PATWWP2
Elgin Whirlwind MV	41-PATELP4
Global M3/MX3	41-PATFMP12
Global Python 2500	41-PATWAP+4
Johnston 400	41-PATJOW113
Johnston 600	41-PATJOW116
Johnston 650	41-PATWWP2
Johnston 3000/4000	41-PATFMP12
Johnston 3000/4000	41-PATWAP4
Masco	41-PWMAW1626
Mobil Athey	41-PATMOP4
Night Hawk	41-PATWWP2
Schwarze A4000	41-PATELP4
Schwarze A9000	41-PATELP5
Schwarze M5000	41-PATELP5
Schwarze M6 Avalanche	41-PATELP5
Schwarze 333	41-PATWWP2
Schwarze 340 Series	41-PATELP420
Tennant 830	41-PATTEW1
Tennant Centurion	41-PATELP5
Tymco 210	41-PATELP420
Tymco 435	41-PATELP4
Tymco 600	41-PATMOP4
Vac/All	41-PATVAW1
Vac/All	41-PATVAW3
Victory Sweeper	41-PATELP420
Wayne Gladiator	41-PATELP5
Wayne Warrior	41-PATELP5


Inquire About Bulk or Gaylord Pricing on Gutterbrooms. Saves you Money!

Gutter Broom Segments

Our industry's sweepers utilize several different types of blocks or segments. United Rotary Brush Corporation can help you with your specific replacement gutter broom requirements.



80-MOPN
Mobil Athey/Tymco Style Block
35 holes



80-ELWWP
Elgin Whirlwind Block
30 holes



80-WAPNA
Wayne Block
32 holes



80-ELPN
Elgin/Tymco Style Block
31 holes



80-QPN
Quickie Block
12 holes



80-SBIPN
SBI Block
12 holes

Road Building Product

Tube Brooms

Professionals who understand the value of quality products make United Rotary Brush their first choice for quality-built Tube Brooms. Our Tube Brooms give you better sweeping coverage with more broom wraps and more sweeping ends than our competitor's tube brooms, for impressive sweeping results.



Manufacturer/Model	Part #	Length
Broce	22-103291CTP	10" x 91"
Broce	22-103296CTP	10" x 96"
Challenger 7' I & II	22-083678CTPRB	8 5/8" x 77 1/2"
Rosco RB48	22-083290CTP	8 5/8" x 90"
Rosco RB48	22-103291CTP	10" x 91"
Rosco Sweep Pro	22-083290CTPRB	8 5/8" x 90"
Waldon SweepMaster	22-103288CTP	10" x 88"
Rosco 8' Challenger II	22-083689CTPRB	8 5/8" x 89"

*COMBO TUBE BROOMS AVAILABLE



Proper Down Pressure

Improper downward pressure can decrease broom life up to 95%. A broom sweeps with the tips of its bristles. When too much down pressure is applied, the broom is no longer using its tips; the broom is now working with the sides of the bristles. This limits the flicking action of the bristles, limits its sweeping effectiveness and shortens the life of the broom.



To check for correct down pressure, operate the broom on the ground and rotate at normal operating speed with the machine remaining stationary, then stop and lift the sweeping assembly. The correct sweeping path of a properly adjusted broom will clear a 2" - 4" wide pattern.

Tips and Techniques for Getting the Most Life from your Broom



Keep your broom level to optimize surface coverage and extend broom life



Do not exceed proper down pressure which will limit the “flick action” of the filament



Maintain consistent ground speed to prevent debris from piling up in front of the broom



Rotate your broom end-over-end during its useful cycle to help prevent the broom from coning



Broom Basics Tip!

Different types of debris require different types of broom filament. Refer to the chart on page 11, “Filament Recommendations for Various Sweeping Applications”, to determine which filament is best for your application.

Check out our BroomFinder @ www.united-rotary.com for an expanded product list.

BroomFinder 

UnitedPro™ Strip Brooms

With the Spiral Strip mandrel, our United ProStrip Broom moves debris with impressive sweeping results. The Spiral sweep mandrel keeps the broom in constant pavement contact reducing vibration and wear. This reduces sweeper maintenance and the need for frequent broom adjustments. Change out your main broom without removing the mandrel. A job that used to take two men and too much time only takes one pair of hands and just minutes on the job, reducing costly downtime. With 90% less volume than a standard tube broom, the UnitedPro Strip Broom takes up less space to store and reduces shipping costs. These strips can also be recycled. Please check with your local recycling center.

Easy on the Environment






100%
Recyclable

Manufacturer/Model	Part #	Length	# per Set	Mandrel #
Broce	20-110455AP	91"	36	27-AP91
Rosco RB48	20-110455AP	91"	36	27-AP91
Waldon SweepMaster	20-110440AP	88"	36	27-AP88





UnitedPro Strips (36 strips per set) fit in compact boxes, reducing shipping and storage costs.



Broom Basics Tip!

Mandrels that sweep debris to the center are used by the street sweeping industry and spiral sweep mandrels work best for the road building industry.



UNITEDPRO™ STRIP BROOMS



Spiral Sweep Mandrel Improves Sweeping Action



Easy to Install and Replace




Change-out on the Job in Minutes



Recyclable and Environmentally Friendly

Filament Recommendations for Various Sweeping Applications



Poly - Loose Debris & Dry Snow Sweeping Conditions. Typically the longest lasting filament and is used for sweeping in all seasons. Poly filament provides maximum “flick action” due to better flexibility under routine sweeping conditions found when sweeping light debris, dirt, sand, leaves, paper, etc.




Poly/Wire Combination - Varying Sweeping Conditions. Poly and wire filaments used in combination to sweep a variety of conditions without changing cores and are considered the best multi-purpose wafer. Effective for sweeping in a general mixture of mild conditions.



Wire - Affixed Debris & Compacted Sweeping Conditions. Made of high carbon galvanized spring steel, our wire filament is the stongest and most aggressive type of filament due to very sharp tips that provide cutting action. Best used for compacted debris and in wet or compacted snow and ice removal.

Poly & Wire Wafers



With the Spiral Strip mandrel, our United ProStrip Broom moves debris with impressive sweeping results. The Spiral sweep mandrel keeps the broom in constant pavement contact reducing vibration and wear. This reduces sweeper maintenance and the need for frequent broom adjustments. Change out your main broom without removing the mandrel. A job that used to take two men and too much time only takes one pair of hands and just minutes on the job, reducing costly downtime. With 90% less volume than a standard tube broom, the UnitedPro Strip Broom takes up less space to store and reduces shipping costs. These strips can also be recycled. Please check with your local recycling center.

- Road Construction
- Landscaping
- Parking Lot/Street Sweeping
- Construction Debris Clean Up
- Light Snow Removal
- Universities and Hospitals
- Pathways and Trails




Broom Basics Tip!

A general rule of thumb to determine the number of wafers needed is 7 flat wafers per foot or 6 convoluted wafers per foot.

Manufacturer/Model	Wafer Size
Catepillar	8 1/8" x 26"
Catepillar	10" x 27"
Catepillar	10" x 36"
Balderson	7 1/8" x 24"
Bobcat	6 3/8" x 21 3/8"
Bobcat	10" x 32"
Broce	6 3/8" x 24"
Broce	10" x 32"
Holder	10" x 32"
John Deere	10" x 32"
Kubota	6 3/8" x 24"
Lay-Mor	6 3/8" x 24"
M-B	6 3/8" x 24"
M-B	10" x 32"
New Holland	6 3/8" x 18"
Roadtec	10" x 32"
Rosco	10" x 32"
Sweepster	6 3/8" x 24"
Sweepster	8 1/8" x 26"
Sweepster	10" x 32"
Superior Broom	10" x 32"
Terramite	6 3/8" x 24"
Trackless	10" x 32"
Waldon Sweepmaster	10" x 32"



Check out our BroomFinder @ www.united-rotary.com for an expanded product list.



- Self-Contained
- Skid Steer Loaders
- Tow Behinds
- Tractors
- Mowers
- Loader Backhoes
- Walk Behind Sweepers



Broom Basics Tip!

Our convoluted wafers provide the best value due to our spacerless design. Convoluted wafers are more environmentally friendly, as there is less waste disposal and are easy to install. For normal sweeping applications, install wafers rotating 180°. For a dense pack, install wafers on cores with 4 drive bars at 90°. This application does require the purchase of more wafers.

Whether you are in road construction, the landscaping business or responsible for the upkeep of your city or county's parks and recreation system, and whether the application calls for sweeping debris to light snow removal, United Rotary Brush has the wafers you need to fit most machines.

6 3/8" x 18" Wafers		Part #
Poly Convoluted		04-063818PC
6 3/8" x 21 3/8" Wafers		Part #
Poly Convoluted		04-063213PC
Wire Convoluted		09-063213WC
6 3/8" x 24" Wafers		Part #
Poly Flat		01-063240PW
Wire Flat		06-063240WW
Spacer		15-SPACER638
Poly Convoluted		04-063240PC
Wire Convoluted		09-063240WC
Combo Convoluted		12-063240CC
7 1/8" x 24" Wafers		Part #
Poly Flat		01-071240PW
Wire Flat		06-071240WW
Spacer		15-SPACER718
8 1/8" x 26" Wafers		Part #
Poly Convoluted		04-081260PC
Wire Convoluted		09-081260WC
Combo Convoluted		12-081260CC
10" x 27" Wafers		Part #
Poly Flat		01-100270PW
Wire Flat		06-100270WW
Spacer		15-SPACER10
10" x 32" Wafers		Part #
Poly Flat		01-100320PW
Wire Flat		06-100320WW
Combo Flat		12-100320CW
Spacer		15-SPACER10
Poly Convoluted		04-100320PC
Wire Convoluted		09-100320WC
Combo Convoluted		12-100320CC
10" x 36" Wafers		Part #
Poly Flat		01-100360PW
Wire Flat		06-100360WW
Spacer		15-SPACER10

Runway Sweeping Product

Runway Sweeping Wafer Sections

Because you depend on reliable sweeper brooms to keep your runways clear and safe, United Rotary Brush manufactures a complete line of Runway Sweeper Wafer Sections built to sweep the way you expect -- tough enough to cut through the worst ice and snow, with durability to give you more sweeping hours when it counts most.

Our Runway Sweeper Wafer Sections are compatible with the most popular sweepers on the runways today. They also meet U.S. and Canadian government specifications for use on military bases.



Broom Basics Tip!

Wafer sections should be replaced when the filament length reaches 5 - 6 inches.

10-3/4" x 36" Wafer Sections



- Filled with our own Poly Filament for superior "flick action" or Wire Filament for extra "cutting action"
- Available in Flat Sections with compatible spacers or "spacerless" Convolutated Sections
- Heavy-duty Wire Sections also available

19-1/2" x 46" Wafer Sections



- For high-speed runway sweeping and snow removal
- Available with Poly Filament, or standard and heavy-duty Wire Filament
- Flat Sections only

Balanced Wafers

United Rotary Brush balances every wafer. We mark the wafer at the heavy point with a black mark, ensuring proper installation of a balanced broom. To install wafers, locate the black mark on the inside of the wafer ring. This mark indicates the “heavy” point of the wafer. Install the next wafer on the core, rotating the position of the black mark 90-degrees for every consecutive wafer section.

10 3/4" x 36" Wafers	Part #
Poly Flat	01-103360PWA
Wire Flat	06-103360WWA
Wire Heavy Flat	06-103360WWAH
Spacer	15-SPACER1034
Poly Convoluted	04-103360PCA
Wire Convoluted	09-103360WCA
Wire Heavy Convoluted	09-103360WCAH
19 1/2" x 46" Wafers	Part #
Poly Flat	05-191460PWA
Wire Flat	05-191460WWA
Wire Heavy Flat	05-191460WWAH
Spacer	05-SPACER1912

Grading Wafers

After balancing the wafer, United Rotary Brush ensures you get the highest quality by proceeding to grade the out-of-balance of each wafer. Our wafers are graded to fall within a 36 inch/ounce variance. By narrowing the range of variance in our wafers, the quality of the broom improves.



Broom Basics Tip!

To get the best life from your broom, it is important that flat wafers are tightly compressed. The core must be full. Mount one wafer extending beyond the end of the core and compress by tightening the bolts in the endplate.

Condition	Broom Pattern	RPMS
Light Snow 3"-5"	4"- 6"	600-900
Light Snow 1"-3"	3"- 5"	600-900
Light Snow < 1"	2"- 4"	600-900
Wet Snow 1"-3"	4"- 6"	600-900
Wet Snow < 1"	3"- 5"	600-900
Dry Sweeping	2"- 4"	600-900

This chart will help you set the proper down pressure for your sweeping conditions.

Dense Pack

When conditions require more cutting action to get through the ice and slush, consider going with a dense pack. This option involves the application of twice as many wire wafers as poly wafers.

BroomFinder 

Check out our BroomFinder @
www.united-rotary.com
 for an expanded product list.

Runway Sweeping Cassette Sections

High-Speed Cassette Sections from United Rotary Brush offer quick replacement, saving you time and money. The cassette brush sections are mounted on a specially-designed aluminum mandrel that slides over your existing core or can be mounted separately. One person can change all the cassette brush sections without removing the core from the sweeper. High-Speed Cassette Sections can be used on all types of runway sweeping equipment.



Manufacturer/Model	Core Description	Part #	Part Description	# Bars	# Rows
Boschung 4300	14' core 36" dia.	29-CW272096	tufted wire cassette refill	96	16
BucherSchorling P17H	14' core 36" dia.	29-CW272096	tufted wire cassette refill	96	16
Idaho Northland/SIB core	16' split core 46" dia.	29-CW228144	tufted wire cassette refill	144	18
M-B	16' split core 46" dia.	29-CW235224	tufted wire cassette refill	224	28
M-B	18' split core 46" dia.	29-CW265224	tufted wire cassette refill	224	28
M-B	20' split core 46" dia.	29-CW235280	tufted wire cassette refill	280	28
M-B	22' split core 46" dia.	29-CW260280	tufted wire cassette refill	280	28
Oshkosh/SIB core	16' split core 46" dia.	29-CW235144	tufted wire cassette refill	144	18
Stewart&Stevenson	16' split core 46" dia.	29-CW239144	tufted wire cassette refill	144	18
Stewart&Stevenson	18' split core 46" dia.	29-CW280144-2	tufted wire cassette refill	144	18
Stewart&Stevenson SST300H	14' split core 36" dia.	29-CW272096	tufted wire cassette refill	96	16
Stewart&Stevenson SST3300H	16' core 36" dia.	29-CW280112	tufted wire cassette refill	112	16
Sweepster	16' split core 46" dia.	29-CW239144	tufted wire cassette refill	144	18
Sweepster	18' split core 46" dia.	29-CW280144-2	tufted wire cassette refill	144	18
Vammas PSB4500H	18.5' split core 38" dia.	29-CW272168	tufted wire cassette refill	168	16
Vammas PSB5500H	23' split core 38" dia.	29-CW263210	tufted wire cassette refill	210	21

Wire cassette refills available in poly and poly/wire combinations.



Broom Basics Tip!

We recommend you clean the cassette core channels prior to the installation of new cassette sections. Also, lubricating the channels with a light oil or silicone spray eases installation and helps to protect your core.



Safe and fast replacement



Lower labor costs



No tools or lifting devices required



BroomFinder 


Check out our BroomFinder @
www.united-rotary.com
for an expanded product list.

Engineered Products & Specialty Brushes

The Engineered Products Division of United Rotary Brush specializes in the production of custom-made wide-face brushes and non-woven rolls for heavy industrial customers across North America and around the world. Our facility in Plain City, OH has the capacity to manufacture wide-face brushes of diverse diameters and lengths, and offers an extensive selection of abrasive, non-abrasive and wire filaments to suit your unique application.

Our people are dedicated to providing solutions for the distinct applications of our customers. Our extensive experience in product design allows us to make specific product recommendations based on our understanding of your unique application.

- Brush Rewraps
- Wide Face Disposable Brushes
- Disposable Brush Cores
- Shaft Maintenance
- Trommel Screen Brushes
- Deburring Brushes
- AND MORE!



8150 Business Way
 Plain City, OH 43064
 800-896-0003
 Fax 937-642-3552

Replacement Parts

When you need replacement parts for your machine, you can depend on United Rotary Brush. Our product line offers brooms, hydraulic motors, pick-up heads, conveyor components, belts and rollers, bearings, sprockets and more. Call to find out if we can get the part you need, we can get you back on the road in no time!

Elgin * Broce Broom * Tennant * Sweepster * Lay-Mor
 Johnston * Tymco * Mobil * Waldon



In-Plant Sweeper Brooms

United Rotary Brush distributes OEM quality parts for all in-plant models of sweepers and scrubbers manufactured by Tennant, Power Boss, Advance, American-Lincoln and more. Contact us for your next order of exact-fit replacement brushes.



We can ship anywhere!



UNITED
ROTARY BRUSH CORPORATION

QUOTE CREDIT
 ORDER #: _____
 SHIP LOCATION: 01 02 04 CN
INTERNAL USE ONLY

ORDER FORM

PURCHASE ORDER #: _____

ORDER DATE: _____

ORDERED BY: _____

SHIP DATE: _____

PHONE #: _____

SHIP VIA: _____

FAX #: _____

COLLECT PPD/ADD PPD/3RD

CUSTOMER #: _____

PPD/OE PPD/SPLIT CPU 99

SOLD TO: _____

SHIP TO: _____

QTY.	U.R.B. PART #	PRODUCT DESCRIPTION	UNIT PRICE

CREDIT CARD INFORMATION:



CREDIT CARD #: _____

NAME ON CARD: _____

EXPIRATION DATE: _____

AUTHORIZATION #: _____

INTERNAL USE ONLY

MERCHANDISE: _____

TAX: _____

FREIGHT: _____

MISC.: _____

TOTAL: _____